



| | Product # | Description |
|-------------------------------------------------------------------------------------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | ETO2 | <p>Fully automatic and economical dual-zone electronic controller, suitable for controlling electric heating cables in one or two zones, 1-zone: 3 x 16A, 2-zone: 2 x 16A, 120V to 240V</p> <p>Suitable for use with GFEP panels</p> |
|  | ETO2-BOX | <p>Mounting box dual-zone electronic controller ETO2</p> |
|  | ETOG | <p>Ground sensor to detect humidity and temperature with 33' (10 m) side entry cable</p> |
|  | ETOG-56 | <p>Ground sensor to detect humidity and temperature with 80' (25 m) bottom entry cable</p> |
|  | ETOK-1 | <p>Mounting tube for ground sensor ETOG-56</p> |
|  | ETOR-55 | <p>Gutter sensor to detect humidity with 33' (10 m) cable</p> |
|  | ETF-744-99 | <p>24V outdoor sensor for measuring temperature</p> |

| | Product # | Description |
|-------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------|
|  | DS-2C | Aerial mounted controller with sensor to detect humidity and temperature, 30A: 100V to 277V, 20A: 28VDC |
|  | DS-5C | Aerial mounted controller with sensor to detect humidity and temperature, 2X 30A, 100V to 277V |
|  | DS-8C | Aerial mounted controller with sensor to detect temperature and a sensor to detect humidity with 10' (3 m) cable, 30A, 100V to 277V |
|  | DS-9C | Aerial mounted controller with sensor to detect temperature and a sensor to detect humidity with 10' (3 m) cable, 2 X 30A, 100V to 277V |
|  | EX-50 | 50' (15 m) extension kit, with connection fittings for humidity sensor |
|  | CDP-2 | Interior controller and display for DS controllers |

| | Product # | Description |
|-------------------------------------------------------------------------------------|-----------------|-----------------------------------------------------------------------------------------------------------------|
|  | APS-3C-120V | Automatic snow and ice melting control system 120V, 24A |
| | APS-3C-208-240V | Automatic snow and ice melting control system 208-240V, 24A |
|  | APS-4C-208-240V | Automatic snow and ice melting control system 208-240V, 50A c/w built-in adjustable 30 mA GFEP |
| | APS-4C-277V | Automatic snow and ice melting control system 277V, 50A c/w built-in adjustable 30 mA GFEP |
| | APS-4C-277-480V | Automatic snow and ice melting control system 277-480V 3-phase, 50A c/w built-in adjustable 30 mA GFEP |
|  | EUR-5A | 24V controller for snow and ice melting system c/w RCU-3 remote control unit |
|  | GF-PRO | NEMA 4X dual sensor capability controller for snow and ice melting system 100-277V, 30A c/w built-in 30 mA GFEP |

| | Product # | Description |
|-------------------------------------------------------------------------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------|
|  | LCD-8-100-240V | Configurable aerial mounted snow and ice melting system controller |
|  | PD-PRO | NEMA 3R dual sensor capability controller for snow and ice melting system 100-277V, 30A |
|  | RCU-3 | Remote control unit for APS-3C, PD-PRO and EUR-5A |
|  | RCU-4 | Remote control unit for APS-4C, SC-40C and GF-PRO |
| | SC-40C-208-240V | Satellite contactor for modular snow and ice melting control system 208-240V, 50A c/w built-in adjustable 30 mA GFEP |
|  | SC-40C-277V | Satellite contactor for modular snow and ice melting control system 277V, 40A c/w built-in adjustable 30 mA GFEP |
| | SC-40C-277-480V | Satellite contactor for modular snow and ice melting control system 277-480V 3-phase, 50A c/w built-in adjustable 30 mA GFEP |
|  | SNOW-OWL | Aerial mounted snow sensor 24V |

| | Product # | Description |
|-----------------------------------------------------------------------------------|------------------|-----------------------------------------------------------------------------------------------------------------------|
|  | GIT-1 | Gutter and downspout de-icing sensor to detect humidity and temperature compatible with GF-PRO and PD-PRO controllers |
|  | SIT-6E | Ground sensor to detect humidity and temperature for APS control panel (requires 23832-HOUSING) |
|  | 23832-HOUSING | Ground sensor housing for HSC-24 and SIT-6E |
|  | 25076-THERMISTOR | High temperature sensor 100k ohms c/w 20' (6 m) cable (No disc.) |